


**Scenario # 377: A CLEC orders INP for 2 lines.**

**Scenario Description:**

A CLEC orders INP for 2 lines in support of an existing resale customer being migrated to CLEC facilities.

**Network Configuration:**



**Scenario Summary:**

REQTYPE	C
ACT TYPE	V
Partial Migration	
Flow-Through	X

**Scenario Characteristics:**

Provisioning	X
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

**Test Case Requirements:**


Supplement	X
Errors	X
Cancel	
Directory Listing	X

**Scenario # 382:** An existing CLEC customer is moving to another state. The CLEC orders BST to disconnect INP for all 6 of its customer's lines.

**Scenario Description:**

An existing CLEC customer is moving to another state. The CLEC orders BST to disconnect INP for all 6 of its customer's lines.

**Network Configuration:**



**Scenario Summary:**

REQTYPE	C
ACT TYPE	D
Partial Migration	
Flow-Through	X

**Scenario Characteristics:**

Provisioning	X
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

**Test Case Requirements:**


Supplement	X
Errors	X
Cancel	
Directory Listing	

**Scenario # 383: A CLEC orders LNP for 2 partially migrated lines from BST.**

**Scenario Description:**

A CLEC ports 2 of its existing 6 numbers to CLEC via LNP.

**Network Configuration:**



**Scenario Summary:**

REQTYPE	C
ACT TYPE	V
Partial Migration	X
Flow-Through	

**Scenario Characteristics:**

Provisioning	X
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

**Test Case Requirements:**


Supplement	X
Errors	X
Cancel	
Directory Listing	X

**Scenario # 384: A CLEC orders LNP for 2 fully migrated lines from BST.**

**Scenario Description:**

A CLEC orders LNP for both of its fully migrated lines from BST.

**Network Configuration:**



**Scenario Summary:**

REQTYPE	C
ACT TYPE	V
Partial Migration	
Flow-Through	X

**Scenario Characteristics:**

Provisioning	X
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

**Test Case Requirements:**


Supplement	X
Errors	X
Cancel	
Directory Listing	X

**Scenario # 385: A CLEC orders LNP for 26 partially migrated lines from BST.**

**Scenario Description:**

A CLEC ports 26 of its existing 31 Numbers to CLEC via LNP.

**Network Configuration:**



**Scenario Summary:**

REQTYPE	C
ACT TYPE	V
Partial Migration	X
Flow-Through	

**Scenario Characteristics:**

Provisioning	
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

**Test Case Requirements:**


Supplement	X
Errors	X
Cancel	X
Directory Listing	X

**Scenario # 386: A CLEC orders LNP for 26 fully migrated lines from BST.**

**Scenario Description:**

A CLEC orders LNP for all 26 fully migrated lines from BST.

**Network Configuration:**



**Scenario Summary:**

REQTYPE	C
ACT TYPE	V
Partial Migration	
Flow-Through	

**Scenario Characteristics:**

Provisioning	
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

**Test Case Requirements:**


Supplement	X
Errors	X
Cancel	
Directory Listing	X

**Scenario # 387: A CLEC orders LNP for 2 lines of an existing resale customer.**

**Scenario Description:**

A CLEC orders LNP for 2 lines in support of an existing resale customer being migrated to CLEC facilities.

**Network Configuration:**



**Scenario Summary:**

REQTYPE	C
ACT TYPE	V
Partial Migration	
Flow-Through	X

**Scenario Characteristics:**

Provisioning	X
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

**Test Case Requirements:**


Supplement	X
Errors	X
Cancel	X
Directory Listing	X

**Scenario # 388: A CLEC orders LNP for 26 lines of an existing resale customer.**

**Scenario Description:**

A CLEC orders LNP for 26 lines in support of an existing resale customer being migrated to CLEC facilities.

**Network Configuration:**



**Scenario Summary:**

REQTYPE	C
ACT TYPE	V
Partial Migration	
Flow-Through	

**Scenario Characteristics:**

Provisioning	
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

**Test Case Requirements:**

Supplement	X
Errors	X
Cancel	
Directory Listing	X



---

**Scenario # 801: A CLEC orders LNP for 2 retail business lines. Directory listings remain the same.**

***Scenario Description:***

A CLEC orders LNP for 2 retail business lines. Directory listings remain the same.

***Network Configuration:***

***Scenario Summary:***

REQTYPE	C
ACT TYPE	W
Partial Migration	
Flow-Through	

***Scenario Characteristics:***

Provisioning	
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

***Test Case Requirements:***


Supplement	X
Errors	X
Cancel	
Directory Listing	X

**Scenario # 393: A CLEC orders a change from INP to LNP for 2 lines.**

**Scenario Description:**

A CLEC orders a change from INP to LNP for 2 lines.

**Network Configuration:**



**Scenario Summary:**

REQTYPE	C
ACT TYPE	C
Partial Migration	
Flow-Through	

**Scenario Characteristics:**

Provisioning	X
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

**Test Case Requirements:**


Supplement	X
Errors	X
Cancel	
Directory Listing	

**Scenario # 395: A CLEC orders 2 new business unbundled analog ports from BST.**

**Scenario Description:**

A CLEC orders 2 new business unbundled analog ports from BST in support of a new business customer's service request.

**Network Configuration:**



**Scenario Summary:**

REQTYPE	F
ACT TYPE	A
Partial Migration	
Flow-Through	X

**Scenario Characteristics:**

Provisioning	X
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

**Test Case Requirements:**


Supplement	X
Errors	X
Cancel	X
Directory Listing	X

**Scenario # 396: A CLEC orders 26 new business unbundled analog ports from BST.**

**Scenario Description:**

A CLEC orders 26 new business unbundled analog ports from BST in support of a new business customer's service request.

**Network Configuration:**



**Scenario Summary:**

REQTYPE	F
ACT TYPE	A
Partial Migration	
Flow-Through	

**Scenario Characteristics:**

Provisioning	
Normal Volume	
Peak Volume	
EDI	X
TAG	X

**Test Case Requirements:**


Supplement	X
Errors	X
Cancel	
Directory Listing	X

**Scenario # 397: A CLEC orders 2 new residential unbundled analog ports from BST.**

**Scenario Description:**

A CLEC orders 2 new residential unbundled analog ports from BST in support of a new business customer's service request.

**Network Configuration:**



**Scenario Summary:**

REQTYPE	F
ACT TYPE	A
Partial Migration	
Flow-Through	X

**Scenario Characteristics:**

Provisioning	X
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

**Test Case Requirements:**


Supplement	X
Errors	X
Cancel	
Directory Listing	X

***Scenario # 398: A CLEC orders 2 business unbundled analog ports for a partial migration service request from an existing BST business customer.***

***Scenario Description:***

A CLEC orders 2 business unbundled analog ports in support of a partial migration service request from an existing BST business customer. The business customer currently has 6 lines, 4 of which stay with BST and 2 are migrated "as-specified" to the CLEC.

***Network Configuration:***



***Scenario Summary:***

REQTYPE	F
ACT TYPE	V
Partial Migration	X
Flow-Through	

***Scenario Characteristics:***

Provisioning	
Normal Volume	
Peak Volume	
EDI	X
TAG	X

***Test Case Requirements:***


Supplement	X
Errors	X
Cancel	
Directory Listing	X

**Scenario # 399:** A CLEC orders 2 business unbundled analog ports for a full migration service request from an existing BST business customer.

**Scenario Description:**

A CLEC orders 2 business unbundled analog ports in support of a full migration service request from an existing BST business customer. The business customer lines are migrated "as-specified" to the CLEC.

**Network Configuration:**



**Scenario Summary:**

REQTYPE	F
ACT TYPE	V
Partial Migration	
Flow-Through	X

**Scenario Characteristics:**

Provisioning	
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

**Test Case Requirements:**


Supplement	X
Errors	X
Cancel	
Directory Listing	X

**Scenario # 400:** A CLEC orders 26 business unbundled analog ports for a partial migration service request from an existing BST business customer.

**Scenario Description:**

A CLEC orders 26 business unbundled analog ports in support of a partial migration service request from an existing BST business customer. The business customer currently has 31 lines, 5 of which stay with BST and 26 are migrated "as-specified" to the CLEC.

**Network Configuration:**



**Scenario Summary:**

REQTYPE	F
ACT TYPE	V
Partial Migration	X
Flow-Through	

**Scenario Characteristics:**

Provisioning	
Normal Volume	
Peak Volume	
EDI	X
TAG	X

**Test Case Requirements:**

Supplement	X
Errors	X
Cancel	
Directory Listing	X




**Scenario # 401: A CLEC orders 26 business unbundled analog ports for a full migration service request from an existing BST business customer.**

**Scenario Description:**

A CLEC orders 26 business unbundled analog ports in support of a full migration service request from an existing BST business customer. The business customer lines are migrated "as-specified" to the CLEC.

**Network Configuration:**



**Scenario Summary:**

REQTYPE	F
ACT TYPE	V
Partial Migration	
Flow-Through	

**Scenario Characteristics:**

Provisioning	
Normal Volume	
Peak Volume	
EDI	X
TAG	X

**Test Case Requirements:**


Supplement	X
Errors	X
Cancel	
Directory Listing	X

***Scenario # 402: A CLEC orders 2 residential unbundled analog ports for a partial migration service request from an existing BST business customer.***

***Scenario Description:***

A CLEC orders 2 residential unbundled analog ports in support of a partial migration service request from an existing BST residential customer. The residential customer currently has 3 lines, 1 of which stay with BST and 2 are migrated "as-specified" to the CLEC.

***Network Configuration:***



***Scenario Summary:***

REQTYPE	F
ACT TYPE	V
Partial Migration	X
Flow-Through	

***Scenario Characteristics:***

Provisioning	
Normal Volume	
Peak Volume	
EDI	X
TAG	X

***Test Case Requirements:***


Supplement	X
Errors	X
Cancel	X
Directory Listing	X

***Scenario # 403: A CLEC orders 2 residential unbundled analog ports for a full migration service request from an existing BST business customer.***

***Scenario Description:***

A CLEC orders 2 residential unbundled analog ports in support of a full migration service request from an existing BST residential customer. The residential customer lines are migrated "as-specified" to the CLEC.

***Network Configuration:***



***Scenario Summary:***

REQTYPE	F
ACT TYPE	V
Partial Migration	
Flow-Through	X

***Scenario Characteristics:***

Provisioning	
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

***Test Case Requirements:***


Supplement	X
Errors	X
Cancel	
Directory Listing	X

**Scenario # 404:** A CLEC orders 2 business unbundled analog ports from BST for a resale business customer.

**Scenario Description:**

A CLEC orders 2 business unbundled analog ports from BST for one of its resale business customers.

**Network Configuration:**



**Scenario Summary:**

REQTYPE	F
ACT TYPE	V
Partial Migration	
Flow-Through	X

**Scenario Characteristics:**

Provisioning	X
Normal Volume	
Peak Volume	
EDI	X
TAG	X

**Test Case Requirements:**


Supplement	X
Errors	X
Cancel	
Directory Listing	X

**Scenario # 405:** A CLEC orders 26 business unbundled analog ports from BST for a resale business customer.

**Scenario Description:**

A CLEC orders 26 business unbundled analog ports from BST for one of its resale business customers.

**Network Configuration:**



**Scenario Summary:**

REQTYPE	F
ACT TYPE	V
Partial Migration	
Flow-Through	

**Scenario Characteristics:**

Provisioning	X
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

**Test Case Requirements:**


Supplement	X
Errors	X
Cancel	
Directory Listing	X

**Scenario # 406:** A CLEC orders 3 residential unbundled analog ports from BST for a resale residential customer.

**Scenario Description:**

A CLEC orders 3 residential unbundled analog ports from BST for one of its resale residential customers.

**Network Configuration:**



**Scenario Summary:**

REQTYPE	F
ACT TYPE	V
Partial Migration	
Flow-Through	X

**Scenario Characteristics:**

Provisioning	
Normal Volume	
Peak Volume	
EDI	X
TAG	X

**Test Case Requirements:**


Supplement	X
Errors	X
Cancel	
Directory Listing	X

**Scenario # 407:** A CLEC orders a change (e.g., add call waiting) on 2 business unbundled analog ports in response to a CLEC customer complaint.

**Scenario Description:**

A CLEC orders a change -(e.g., add call waiting) - on 2 business unbundled analog ports in response to a CLEC customer complaint.

**Network Configuration:**



**Scenario Summary:**

REQTYPE	F
ACT TYPE	C
Partial Migration	
Flow-Through	X

**Scenario Characteristics:**

Provisioning	
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

**Test Case Requirements:**


Supplement	X
Errors	X
Cancel	X
Directory Listing	

**Scenario # 408:** A CLEC orders a change on 26 business unbundled analog ports in response to a CLEC customer complaint.

***Scenario Description:***

A CLEC orders a change on 26 business unbundled analog ports in response to a CLEC customer complaint.

***Network Configuration:***



***Scenario Summary:***

REQTYPE	F
ACT TYPE	C
Partial Migration	
Flow-Through	

***Scenario Characteristics:***

Provisioning	
Normal Volume	
Peak Volume	
EDI	X
TAG	X

***Test Case Requirements:***

Supplement	X
Errors	X
Cancel	
Directory Listing	




**Scenario # 409:** A CLEC orders a change - add call waiting - on 2 business unbundled analog ports in response to a CLEC customer.

**Scenario Description:**

A CLEC orders a change - add call waiting - on 2 residential unbundled analog ports in response to a CLEC customer complaint.

**Network Configuration:**



**Scenario Summary:**

REQTYPE	F
ACT TYPE	C
Partial Migration	
Flow-Through	X

**Scenario Characteristics:**

Provisioning	X
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

**Test Case Requirements:**


Supplement	X
Errors	X
Cancel	
Directory Listing	

**Scenario # 412: A CLEC orders a suspend on 2 business unbundled analog ports.**

**Scenario Description:**

A CLEC orders a suspend on 2 business unbundled analog ports.

**Network Configuration:**



**Scenario Summary:**

REQTYPE	F
ACT TYPE	SS
Partial Migration	
Flow-Through	

**Scenario Characteristics:**

Provisioning	
Normal Volume	
Peak Volume	
EDI	X
TAG	X

**Test Case Requirements:**


Supplement	X
Errors	X
Cancel	
Directory Listing	

**Scenario # 414: A CLEC orders a suspend on 2 residential unbundled analog ports.**

**Scenario Description:**

A CLEC orders a suspend on 2 residential unbundled analog ports.

**Network Configuration:**



**Scenario Summary:**

REQTYPE	F
ACT TYPE	SS
Partial Migration	
Flow-Through	

**Scenario Characteristics:**

Provisioning	
Normal Volume	
Peak Volume	
EDI	X
TAG	X

**Test Case Requirements:**


Supplement	X
Errors	X
Cancel	
Directory Listing	

**Scenario # 415: A CLEC orders a restore on 2 business unbundled analog ports.**

***Scenario Description:***

A CLEC orders a restore on 2 business unbundled analog ports.

***Network Configuration:***



***Scenario Summary:***

REQTYPE	F
ACT TYPE	RS
Partial Migration	
Flow-Through	

***Scenario Characteristics:***

Provisioning	X
Normal Volume	
Peak Volume	
EDI	X
TAG	X

***Test Case Requirements:***


Supplement	X
Errors	X
Cancel	
Directory Listing	

**Scenario # 417: A CLEC orders a restore on 2 residential unbundled analog ports.**

***Scenario Description:***

A CLEC orders a restore on 2 residential unbundled analog ports.

***Network Configuration:***



***Scenario Summary:***

REQTYPE	F
ACT TYPE	RS
Partial Migration	
Flow-Through	

***Scenario Characteristics:***

Provisioning	
Normal Volume	
Peak Volume	
EDI	X
TAG	X

***Test Case Requirements:***


Supplement	X
Errors	X
Cancel	X
Directory Listing	

**Scenario # 418:** *An existing CLEC business customer is going out of business and disconnects both unbundled analog ports.*

**Scenario Description:**

An existing CLEC business customer is going out of business. The CLEC orders BST to disconnect both of its customer's unbundled analog ports.

**Network Configuration:**



**Scenario Summary:**

REQTYPE	F
ACT TYPE	D
Partial Migration	
Flow-Through	X

**Scenario Characteristics:**

Provisioning	
Normal Volume	
Peak Volume	
EDI	X
TAG	X

**Test Case Requirements:**


Supplement	X
Errors	X
Cancel	
Directory Listing	

**Scenario # 419:** *An existing CLEC residential customer is moving and disconnects both unbundled analog ports.*

**Scenario Description:**

An existing CLEC residential customer is moving to another state. The CLEC orders BST to disconnect both of its customer's unbundled analog ports from BST.

**Network Configuration:**



**Scenario Summary:**

REQTYPE	F
ACT TYPE	D
Partial Migration	
Flow-Through	X

**Scenario Characteristics:**

Provisioning	X
Normal Volume	
Peak Volume	
EDI	X
TAG	X

**Test Case Requirements:**


Supplement	X
Errors	X
Cancel	
Directory Listing	

**Scenario # 420: A CLEC orders 2 new business unbundled analog loop-port combinations from BST.**

**Scenario Description:**

A CLEC orders 2 new business unbundled analog loop-port combinations from BST in support of a new business customer's service request.

**Network Configuration:**



**Scenario Summary:**

REQTYPE	M
ACT TYPE	A
Partial Migration	
Flow-Through	X

**Scenario Characteristics:**

Provisioning	X
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

**Test Case Requirements:**

Supplement	X
Errors	X
Cancel	X
Directory Listing	X




**Scenario # 422: A CLEC orders 2 new residential unbundled analog loop-port combinations from BST.**

***Scenario Description:***

A CLEC orders 2 new residential unbundled analog loop-port combinations from BST in support of a new residential customer's service request.

***Network Configuration:***



***Scenario Summary:***

REQTYPE	M
ACT TYPE	A
Partial Migration	
Flow-Through	X

***Scenario Characteristics:***

Provisioning	X
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

***Test Case Requirements:***


Supplement	X
Errors	X
Cancel	X
Directory Listing	X

**Scenario # 423: A CLEC orders 2 business unbundled analog loop-port combinations from BST.**

**Scenario Description:**

A CLEC orders 2 business unbundled analog loop-port combinations from BST in support of a full migration service request from an existing BST business customer. The business customer lines are migrated "as-specified" to the CLEC.

**Network Configuration:**



**Scenario Summary:**

REQTYPE	M
ACT TYPE	V
Partial Migration	
Flow-Through	X

**Scenario Characteristics:**

Provisioning	X
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

**Test Case Requirements:**


Supplement	X
Errors	X
Cancel	
Directory Listing	X

**Scenario # 424: A CLEC orders 26 business unbundled analog loop-port combinations in support of a full migration service request from an existing BST business customer.**

**Scenario Description:**

A CLEC orders 26 business unbundled analog loop-port combinations in support of a full migration service request from an existing BST business customer. The business customer lines are migrated "as-specified" to the CLEC.

**Network Configuration:**



**Scenario Summary:**

REQTYPE	M
ACT TYPE	V
Partial Migration	
Flow-Through	

**Scenario Characteristics:**

Provisioning	
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

**Test Case Requirements:**


Supplement	X
Errors	X
Cancel	X
Directory Listing	X

***Scenario # 425: A CLEC orders 2 residential unbundled analog loop-port combinations in support of a full migration service request from an existing BST residential customer.***

***Scenario Description:***

A CLEC orders 2 residential unbundled analog loop-port combinations in support of a full migration service request from an existing BST residence customer. The received customer lines are migrated "as-specified" to the CLEC.

***Network Configuration:***



***Scenario Summary:***

REQTYPE	M
ACT TYPE	V
Partial Migration	
Flow-Through	X

***Scenario Characteristics:***

Provisioning	X
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

***Test Case Requirements:***


Supplement	X
Errors	X
Cancel	X
Directory Listing	X

**Scenario # 427:** A CLEC orders 26 business unbundled analog loop-port combinations from BST for one of its resale business customers.

**Scenario Description:**

A CLEC orders 26 business unbundled analog loop-port combinations from BST for one of its resale business customers.

**Network Configuration:**



**Scenario Summary:**

REQTYPE	M
ACT TYPE	V
Partial Migration	
Flow-Through	

**Scenario Characteristics:**

Provisioning	
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

**Test Case Requirements:**


Supplement	X
Errors	X
Cancel	
Directory Listing	X

**Scenario # 428:** A CLEC orders 2 residential unbundled analog loop-port combinations from BST for one of its resale residential customers.

**Scenario Description:**

A CLEC orders 2 residential unbundled analog loop-port combinations from BST for one of its resale residential customers.

**Network Configuration:**



**Scenario Summary:**

REQTYPE	M
ACT TYPE	V
Partial Migration	
Flow-Through	X

**Scenario Characteristics:**

Provisioning	X
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

**Test Case Requirements:**


Supplement	X
Errors	X
Cancel	X
Directory Listing	X

**Scenario # 429:** A CLEC orders a change on 2 business unbundled analog loop-port combinations in response to a CLEC customer complaint.

**Scenario Description:**

A CLEC orders a change on 2 business unbundled analog loop-port combinations in response to a CLEC customer complaint.

**Network Configuration:**



**Scenario Summary:**

REQTYPE	M
ACT TYPE	C
Partial Migration	
Flow-Through	X

**Scenario Characteristics:**

Provisioning	X
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

**Test Case Requirements:**


Supplement	X
Errors	X
Cancel	X
Directory Listing	

**Scenario # 432:** An existing CLEC business customer moves from the 3rd to the 5th floor of an office complex. The CLEC orders an outside move on both of its customer's unbundled analog loop-port combinations from BST.

**Scenario Description:**

An existing CLEC business customer moves from the 3rd to the 5th floor of an office complex. The CLEC orders an inside move on both of its customer's unbundled analog loop-port combinations from BST.

**Network Configuration:**



**Scenario Summary:**

REQTYPE	M
ACT TYPE	M
Partial Migration	
Flow-Through	

**Scenario Characteristics:**

Provisioning	X
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

**Test Case Requirements:**

Supplement	X
Errors	X
Cancel	X
Directory Listing	X




***Scenario # 433: An existing CLEC residential customer moves from the 2nd to the 3rd floor in an apartment building. The CLEC orders an inside move on its customer's unbundled analog loop-port combinations from BST.***

***Scenario Description:***

An existing CLEC residential customer moves from the 2nd to the 3rd floor in an apartment building. The CLEC orders an inside move on its customer's unbundled analog loop-port combinations from BST.

***Network Configuration:***



***Scenario Summary:***

REQTYPE	M
ACT TYPE	M
Partial Migration	
Flow-Through	

***Scenario Characteristics:***

Provisioning	X
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

***Test Case Requirements:***


Supplement	X
Errors	X
Cancel	X
Directory Listing	X

***Scenario # 435: An existing CLEC residential customer moves across town. The CLEC orders an outside move on its customer's unbundled analog loop-port combination from BST.***

***Scenario Description:***

An existing CLEC business customer moves from the 3rd to the 5th floor in an office complex. The CLEC orders an outside move on its customer's unbundled analog loop-port combination from BST.

***Network Configuration:***



***Scenario Summary:***

REQTYPE	M
ACT TYPE	T
Partial Migration	
Flow-Through	

***Scenario Characteristics:***

Provisioning	X
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

***Test Case Requirements:***


Supplement	X
Errors	X
Cancel	
Directory Listing	X

**Scenario # 438:** A CLEC orders a suspend on 2 business unbundled analog loop-port combinations.

**Scenario Description:**

A CLEC orders a suspend on 2 business unbundled analog loop-port combinations.

**Network Configuration:**



**Scenario Summary:**

REQTYPE	M
ACT TYPE	SS
Partial Migration	
Flow-Through	

**Scenario Characteristics:**

Provisioning	X
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

**Test Case Requirements:**


Supplement	X
Errors	X
Cancel	X
Directory Listing	

**Scenario # 440: A CLEC orders a suspend on 2 residential unbundled analog loop-port combinations.**

**Scenario Description:**

A CLEC orders a suspend on 2 residential unbundled analog loop-port combinations.

**Network Configuration:**



**Scenario Summary:**

REQTYPE	M
ACT TYPE	SS
Partial Migration	
Flow-Through	

**Scenario Characteristics:**

Provisioning	X
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

**Test Case Requirements:**


Supplement	X
Errors	X
Cancel	
Directory Listing	

**Scenario # 441: A CLEC orders a restore on 2 business unbundled analog loop-port combinations.**

**Scenario Description:**

A CLEC orders a restore on 2 business unbundled analog loop-port combinations.

**Network Configuration:**



**Scenario Summary:**

REQTYPE	M
ACT TYPE	RS
Partial Migration	
Flow-Through	

**Scenario Characteristics:**

Provisioning	X
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

**Test Case Requirements:**


Supplement	X
Errors	X
Cancel	
Directory Listing	

**Scenario # 443: A CLEC orders a restore on 2 residential unbundled analog loop-port combinations.**

**Scenario Description:**

A CLEC orders a restore on 2 residential unbundled analog loop-port combinations.

**Network Configuration:**



**Scenario Summary:**

REQTYPE	M
ACT TYPE	RS
Partial Migration	
Flow-Through	

**Scenario Characteristics:**

Provisioning	X
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

**Test Case Requirements:**


Supplement	X
Errors	X
Cancel	X
Directory Listing	

***Scenario # 444: An existing CLEC customer is moving to another state. The CLEC orders BST to disconnect both of its unbundled loop-port combinations.***

***Scenario Description:***

An existing CLEC customer is moving to another state. The CLEC orders BST to disconnect both of its unbundled loop-port combinations.

***Network Configuration:***



***Scenario Summary:***

REQTYPE	M
ACT TYPE	D
Partial Migration	
Flow-Through	X

***Scenario Characteristics:***

Provisioning	
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

***Test Case Requirements:***


Supplement	X
Errors	X
Cancel	X
Directory Listing	

**Scenario # 445:** An existing CLEC customer is moving to another state. The CLEC orders BST to disconnect both its unbundled loop/port combinations.

**Scenario Description:**

An existing CLEC customer is moving to another state. The CLEC orders BST to disconnect both its unbundled loop-port combinations.

**Network Configuration:**



**Scenario Summary:**

REQTYPE	M
ACT TYPE	D
Partial Migration	
Flow-Through	X

**Scenario Characteristics:**

Provisioning	
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

**Test Case Requirements:**

Supplement	X
Errors	X
Cancel	X
Directory Listing	




**Scenario # 602:** An existing CLEC customer orders BST to disconnect 2 of 4 CLEC analog loop-port combinations.

**Scenario Description:**

An existing CLEC customer orders BST to disconnect 2 of 4 CLEC analog loop-port combinations.

**Network Configuration:**



**Scenario Summary:**

REQTYPE	M
ACT TYPE	D
Partial Migration	
Flow-Through	X

**Scenario Characteristics:**

Provisioning	
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

**Test Case Requirements:**

Supplement	X
Errors	X
Cancel	X
Directory Listing	

---

**Scenario # 604: CLEC Orders 1 unbundled analog loop/port combination in support of partial migration.**

**Scenario Description:**

CLEC orders 1 unbundled analog loop/port combination in support of partial migration. BST customer currently has 3 lines, 2 of which stay with BST, while 1 migrates "as specified" to CLEC.

**Network Configuration:**

**Scenario Summary:**

REQTYPE	M
ACT TYPE	V
Partial Migration	
Flow-Through	X

**Scenario Characteristics:**

Provisioning	
Normal Volume	X
Peak Volume	X
EDI	X
TAG	X

**Test Case Requirements:**

Supplement	X
Errors	X
Cancel	X
Directory Listing	